

This listing of claims will replace all prior versions, and listings, or claims in the application.

## **LISTING OF CLAIMS**

In the claims:

1. (Currently amended) Rollup luggage comprising:
  - a. a piece of fabric with a front and a back and having two sides, a top and a bottom; and,
  - b. ~~a flap~~ flaps, each with four edges attaches to the front of the piece of fabric and in which one of ~~the~~ each flap's flaps' edges attaches to one of the sides of the piece of fabric and ~~the~~ each of the flap's flaps' other ~~three~~ edges are releasably attached to the piece of ~~fabrie's~~ fabric and when all ~~three~~ of the releasably attached edges are attached an enclosed ~~bag is~~ bags are formed which can be packed with clothing and other articles and rolled up; and,
  - c. ~~a means to hold the bag in a tight roll.~~ a container with two ends attached to the bottom of the piece of

material and said bag can be rolled up around said container; and,

d. two saw tooth flaps attached to opposing sides of the piece of fabric and extend outward from the piece of fabric and said saw tooth flaps have a saw tooth shape; and,

e. a set of openings on the outer edge of the saw tooth flaps; and,

f. a pin attached to both ends of the container and when the bag is rolled up the openings in the saw tooth flaps fit over the pins; and,

g. a means for holding the saw tooth flaps on the pin securely when the bag is rolled up; and

e. whereas when the bag is rolled up and the openings in the outer flaps are placed over the pins attach to the container and the means for holding the saw tooth flaps on the pins securely is engaged thus closing the sides of the bag.

2. (Cancel)

3. (Currently amended) Rollup luggage as in claim 2 1

wherein:

a. the container is cylindrical.

4. (Currently amended) Rollup luggage as in claim 2 1 wherein:

a. the container is made of ridged material.

5. (Currently amended) Rollup luggage as in claim 1 wherein:

a. ~~the means to hold the bag in a tight roll~~ is a belt with two ends and one end has a buckle and the other end has openings for the buckle attached to the back of the piece of material and when the bag is rolled up, the ends of the belt with the openings is stuck through buckle and pulled tight and buckled to hold the bag in a tight roll.

6. (Cancel)

7. (Currently amended) Rollup luggage as in claim 1 2 further comprising:

~~a. two saw tooth flaps attached to opposing sides of the piece of fabric and extend outward from the piece of fabric and said outer flap have a saw tooth shape; and,~~  
~~b. a set of openings on the outer edge of the saw tooth shaped flaps; and,~~  
~~c. a the pin pins with have an opening attached to both ends of the container; and,~~  
~~d. b. the means for holding the saw tooth flaps on the pin securely is two spring pins whose end can expands;~~  
~~e. c. whereas when the bag is rolled up the openings in the outer flaps are placed over the pins attach to the container and the spring pins are place through the opening in the pins and the end of the spring pins expand holding the flaps in place and closing the sides of the bag.~~

8. (Currently amended) Rollup luggage as in claim 2 1 further comprising:

~~a. two saw tooth flaps attached to opposing sides of the piece of fabric and extend outward from the piece of fabric and said outer flap have a saw tooth shape; and,~~

~~b. a set of openings on the outer edge of the saw tooth shaped flaps; and,~~

~~e. a pin with an each pin has a grove attached to both ends of the container; and,~~

~~d. b. the means for holding the saw tooth flaps on the pins securely is two spring loaded snaps that when place over the pins will snap into the groves;~~

~~e. c. whereas when the bag is rolled up and the openings in the outer flaps are placed over the pins attach to the container and the spring loaded snaps are placed over the pins and snap into the grove holding the flaps in place and closing the sides of the bag.~~

9. (Currently amended) Rollup luggage as in claim 2 1 further comprising:

~~a. two saw tooth flaps attached to opposing sides of the piece of fabric and extend outward from the piece of fabric and said outer flap have a saw tooth shape; and,~~

~~b. a set of openings on the outer edge of the saw tooth shaped flaps; and,~~

~~e. a pin with an~~ the pins have a J grove attached to both  
~~ends of the container; and,~~

~~d. b.~~ the means for holding the saw tooth flaps on the pin  
securely is two spring ball baring twist snaps that when  
place over the pins and twisted will snap into place;

~~e. c.~~ whereas when the bag is rolled up and the openings  
in the outer flaps are placed over the pins attach to the  
container and the spring ball baring twist snaps are  
placed over the pins and when twisted snap into place  
holding the flaps in place and closing the sides of the  
bag.

10. (Original) Rollup luggage as in claim 1 further comprising:

a. a handle attached to the back of the piece of fabric that  
can be used to carry the bag when the bag is rolled up.

11. (Currently amended) Rollup luggage comprising:

a. a piece of fabric with a front and a back and having  
two sides, a top and a bottom; and,

- b. a first flap with four edges in which one of the first flap's edges attaches to one of the sides of the piece of fabric and the two opposing edges of the first flap releasably attached to the piece of fabric; and,
- c. a second flap with four edges in which one of the second flap's edges attaches to one of the sides of the piece of fabric, and the two opposing edges of the first flap releasably attach to the piece of fabric and the other edge of the second flap releasably attaches to an edge of the first flap and when all edges of the first and second flaps are attached an enclosed bag is formed which can be packed with clothing and other articles and rolled up; and,
- d. ~~a means to hold the bag in a tight roll~~ a container with two ends attached to the bottom of the piece of material and said bag can be rolled up around said container: and,
- e. two saw tooth flaps attached to opposing sides of the piece of fabric and extend outward from the piece of

fabric and said saw tooth flaps have a saw tooth  
shape; and,

f. a set of openings on the outer edge of the saw tooth  
flaps; and,

g. a pin attached to both ends of the container and when  
the bag is rolled up the openings in the saw tooth flaps fit  
over the pins; and,

h. a means for holding the saw tooth flaps on the pin  
securely when the bag is rolled up; and

i. whereas when the bag is rolled up and the openings in  
the outer flaps are placed over the pins attach to the  
container and the means for holding the saw tooth flaps  
on the pins securely is engaged thus closing the sides of  
the bag.

12. (canceled)

13. (Currently amended) Rollup luggage as in claim 12 11

wherein:

a. the container is made of ridged material.



14. (Original) Rollup luggage as in claim 11 wherein:

- a. when the two flaps are extended outward from the side of the piece of fabric the whole interior of the bag can be seen.

15. (Currently amended) Rollup luggage as in claim 11

wherein:

- a. ~~the means to hold the bag in a tight roll~~ is a belt with two ends and one end has a buckle and the other end has openings for the buckle attached to the back of the piece of material and when the bag is rolled up, the ends of the belt with the openings is stuck through buckle and pulled tight and buckled to hold the bag in a tight roll.

16. (Canceled)

17. (Currently amended) Rollup luggage as in claim ~~12~~ 11

further comprising:

~~a. two saw tooth flaps attached to opposing sides of the~~  
~~piece of fabric and extend outward from the piece of~~  
~~fabric and said outer flap have a saw tooth shape; and,~~  
~~b. a set of openings on the outer edge of the saw tooth~~  
~~shaped flaps; and,~~  
~~e. a the pin pins with have an opening attached to both~~  
~~ends of the container; and,~~  
~~d. b. the means for holding the saw tooth flaps on the pin~~  
~~securely is two spring pins whose end can expands;~~  
~~e. c. whereas when the bag is rolled up the openings in~~  
~~the outer flaps are placed over the pins attach to the~~  
~~container and the spring pins are place through the~~  
~~opening in the pins and the end of the spring pins expand~~  
~~holding the flaps in place and closing the sides of the~~  
~~bag.~~

18. (Currently amended) Rollup luggage as in claim 12 11

further comprising:

- ~~a. two saw tooth flaps attached to opposing sides of the piece of fabric and extend outward from the piece of fabric and said outer flap have a saw tooth shape; and,~~
- ~~b. a set of openings on the outer edge of the saw tooth shaped flaps; and,~~
- ~~c. a pin with an each pin has a grove attached to both ends of the container; and,~~
- ~~d. b. the means for holding the saw tooth flaps on the pins securely is two spring loaded snaps that when place over the pins will snap into the groves;~~
- ~~e. c. whereas when the bag is rolled up and the openings in the outer flaps are placed over the pins attach to the container and the spring loaded snaps are placed over the pins and snap into the grove holding the flaps in place and closing the sides of the bag.~~

19. (Currently amended) Rollup luggage as in claim ~~12~~ 11

further comprising:

- a. two saw tooth flaps attached to opposing sides of the piece of fabric and extend outward from the piece of

fabric and said ~~outer flap~~ saw tooth flaps have a saw tooth shape; and,

- b. a set of openings on the outer edge of the saw tooth shaped flaps; and,
- c. a pin with an J grove attached to both ends of the container; and,
- d. two spring ball baring twist snaps that when place over the pins and twisted will snap into place;
- e. whereas when the bag is rolled up and the openings in the outer flaps are placed over the pins attach to the container and the spring ball baring twist snaps are placed over the pins and when twisted snap into place holding the flaps in place and closing the sides of the bag.

20. (Original) Rollup luggage as in claim 11 further comprising:

- a. a handle attached to the back of the piece of fabric that can be used to carry the bag when the bag is rolled up.